

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-----------------------|----------------------------|-------------------------|------------------|
| 10/815,130 | 03/31/2004 | Norbert Steven Parsoneault | SEA/3350 | 9169 |
| 50269 7590 03/29/2007 SEAGATE TECHNOLOGY c/o MOFO SF 425 MARKET ST. | | | EXAMINER | |
| | | | KRAUSE, JUSTIN MITCHELL | |
| SAN FRANCI | SCO, CA 94105 | | ART UNIT | PAPER NUMBER |
| | | | 3682 | |
| | | | | |
| SHORTENED STATUTOR | RY PERIOD OF RESPONSE | MAIL DATE | DELIVERY MODE | |
| 3 MC | ONTHS | 03/29/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

| | Application No. | Applicant(s) | | | | |
|--|---|--|--|--|--|--|
| | 10/815,130 | PARSONEAULT ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Justin Krause | 3682 | | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on 08 Ja | nuary 2007. | | | | | |
| · · · · · · · · · · · · · · · · · · · | action is non-final. | | | | | |
| · <u> </u> | • | | | | | |
| closed in accordance with the practice under E | closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | |
| 4)⊠ Claim(s) <u>1-14,21 and 22</u> is/are pending in the a | application. | | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | |
| 6)⊠ Claim(s) <u>1-14,21,22</u> is/are rejected. | , | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | |
| 8) Claim(s) are subject to restriction and/or | | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examine | r | | | | | |
| 10)⊠ The drawing(s) filed on <u>31 March 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | | |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). | | | | | | |
| a) ☐ All b) ☐ Some * c) ☐ None of: | | , (-) | | | | |
| 1. Certified copies of the priority documents | s have been received. | | | | | |
| 2. Certified copies of the priority documents | | on No | | | | |
| 3. Copies of the certified copies of the prior | • • | •••••••••••••••••••••••••••••••••••••• | | | | |
| application from the International Bureau | • | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| • | | | | | | |
| | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) | | | | | | |
| 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date | | | | | | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application | | | | | | |
| Paper No(s)/Mail Date 6) | | | | | | |

Art Unit: 3682

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 2, 3, 6, 9-14, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Usui (US Patent 5,924,798) in view of Nii et al. (US Patent 4,938,611).

Usui discloses a fluid dynamic bearing motor comprising:

- -a base (5a) having a bore hole
- -a liner (5b) secured in the bore hole
- -a rotor assembly (9) having a shaft (6) partially disposed within the liner and configured to rotate relative to the liner
- -a fluid dynamic bearing disposed between the liner and the shaft
 Usui does not disclose a recirculation channel disposed outside the liner.

Nii teaches a bearing with a sleeve (6) and a recirculation channel (c) outside of the liner for the purposes of recirculating fluid from one end of the bearing to the other Application, control ital

Art Unit: 3682

(see fig 3) and to discharge heat from the fluid to the bearing housing (col 4, lines 26-28).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Usui to include a fluid recirculation passage for the desired purposes of recirculating fluid from one end of the bearing to the other and discharging heat from the fluid as taught by Nii.

Regarding claim 2, the liner includes a bottom having a hole formed therethrough.

Regarding claim 3, the base of Nii can include the recirculation channel (col 3, lines 55-69, passageway maybe a groove cut in the bearing housing 14) extending along the side and bottom of the bore (when part of passage "d" is included with passage "c", see fig 3).

Regarding claim 6, the fluid dynamic bearing comprises a journal bearing (5c) and a thrust bearing (18).

Regarding claims 9 and 10, the process by which the product is made does not impart any additional device structure to the claim. The device of Usui is capable of being made by the claimed processes.

[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.

Art Unit: 3682


In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985), MPEP 2113 [R-1].

Regarding claim 11, the rotor assembly includes a hub (9), which is capable of being made by a cold working process. See MPEP 2113 [R-1]

Regarding claim 12, the process by which the product is made does not impart any additional device structure to the claim. The device of Usui is capable of being made by the claimed processes.

Regarding claim 13, the hub further includes a flange, and a stepped cylindrical sidewall extending from the flange and circumscribing at least a portion of the base.

Art Unit: 3682



Regarding claim 14, a magnet (12) is attached to the hub and a stator (4) is coupled to the base. The configuration in which the magnet generates a downward acting force on the hub is capable of being performed by Usui, however the limitation is functional in nature and carries minimal patentable weight.

"While features of an apparatus may be recited either structurally or functionally, claims directed to an apparatus must be distinguished from the prior art in terms of structure rather than function." MPEP 2114.

Art Unit: 3682

Regarding claims 21 and 22, the liner includes a top with an opening, and the recirculation channel extends from the hole formed through the bottom of the liner to the opening in the liner and is disposed to communicate lubricating fluid.

Claims 1-3 and 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al (US 2001/0022869) in view of Nii.

Tanaka discloses a fluid dynamic bearing motor comprising:

- -a base (11) having a bore hole
- -a liner (12) secured in the bore hole
- -a rotor assembly (14) having a shaft (13) partially disposed within the liner and configured to rotate relative to the liner
 - -a fluid dynamic bearing disposed between the liner and the shaft

Tanaka does not disclose a recirculation channel disposed outside the liner.

Nii teaches a bearing with a sleeve (6) and a recirculation channel (c) outside of the liner for the purposes of recirculating fluid from one end of the bearing to the other (see fig 3) and to discharge heat from the fluid to the bearing housing (col 4, lines 26-28).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Usui to include a fluid recirculation passage for the

Art Unit: 3682

desired purposes of recirculating fluid from one end of the bearing to the other and discharging heat from the fluid as taught by Nii.

Regarding claim 2, the liner includes a bottom having a hole formed therethrough.

Regarding claim 3, the base of Nii can include the recirculation channel (col 3, lines 55-69, passageway maybe a groove cut in the bearing housing 14) extending along the side and bottom of the bore (when part of passage "d" is included with passage "c", see fig 3).

Regarding claim 6, the fluid dynamic bearing comprises a journal bearing (R) and a thrust bearing (S).

Regarding claim 7, the journal bearing is asymmetrically configured to pump bearing fluid towards a bottom of the liner. (Paragraph 0058)

Regarding claim 8, the journal bearing includes 2 grooved bearing surfaces. (12r/13r, see fig 1).

Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka in view of Nii as applied to claims 1-3 above, further in view of Titcomb (US Patent 5,516,212).

Tanaka in view of Nii does not disclose a capillary seal defined between a wall of the liner and a tapered section of the shaft. Titcomb teaches a fluid dynamic bearing with a liner (28) and a capillary seal (62) between the liner and a tapered section of the shaft (46) to seal the lubricating fluid between the bearing surfaces. (col 7, line 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate a capillary seal between the liner and a tapered section of the shaft as taught by Titcomb into the device of Tanaka, the motivation would have been to seal the lubricating fluid between the bearing surfaces.

Regarding claim 5, the bearing of Tanaka is configured to pump fluid through the hole in the bottom surface of the liner into the recirculation channel and into the reservoir. (Paragraph 0058)

Response to Arguments

Applicant's arguments with respect to claims 1-14 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 3682

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Justin Krause whose telephone number is 571-272-3012. The examiner can normally be reached on Monday - Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JMK 3/89/07

Thomas R. Hánnon Primary Examiner Page 9